

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		((380/227-228) or (380/239) or (380/255) or (380/43) or (380/277-279) or (380/281) or (380/284) or (380/286) or (713/171) or (713/182) or (726/1-7) or (726/9) or (726/10) or (725/15) or (726/17-19) or (726/27-30) or (709/150) or (709/153) or (709/156-159) or (709/170-176) or (709/179) or (709/182-186) or (709/224) or (705/78) or (705/71)).OQLS.	USPAT; IBM_TDB	OR	OFF	2010/02/12 15:31
		((380/227-228) or (380/239) or (380/255) or (380/43) or (380/277-279) or (380/281) or (380/284) or (380/286) or (713/171) or (713/182) or (726/1-7) or (726/9-10) or (725/15) or (726/17-19) or (726/27-30) or (709/150) or (709/153) or (709/156-159)	USPAT; IBM_TDB	OR	OFF	2010/02/12 15:30

		or (709/170-176) or (709/179) or (709/182-186) or (709/224) or (705/78) or (705/71)).CQLS.				
L1	13232	((380/227-228) or (380/278-279) or (380/284) or (380/286) or (713/171) or (713/182) or (726/1-7) or (726/17-19) or (726/27-30) or (709/224) or (705/78) or (705/71)).CQLS.	USPAT; IBM_TDB	OR	OFF	2010/02/12 18:15
L2	73	L1 and (virtual near3 key\$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 18:15
L3	284	L1 and (virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key \$1))	USPAT; IBM_TDB	OR	ON	2010/02/12 18:15
L4	39624	(person\$4 client \$1 user\$1 arriv \$3) near5 (proximity vicinity building \$1 office\$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 18:15
L5	44	L3 and L4	USPAT; IBM_TDB	OR	OFF	2010/02/12 18:15
L6	77464	(verif\$9 valid\$7 compar\$5 authori\$9 verif \$9) near4 ((virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key \$1)) person\$3 user\$1 client\$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 18:15

L7	33	L5 and L6	USPAT; IBM_TDB	OR	OFF	2010/02/12 18:15
L8	1044	(person\$4 client \$1 user\$1) near4 (enter\$3 arriv\$3 proximity vicinity) near5 (building\$1 office\$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 18:15
L9	23	L8 and (virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key \$1))	USPAT; IBM_TDB	OR	ON	2010/02/12 18:15
L10	2	(building\$1 and defin\$3 and virtual and key \$1 and (event \$1 procedure \$2) and authori \$9).clm.	US-PGPUB	OR	ON	2010/02/12 18:15
L11	1	(building\$1 and defin\$3 and virtual and key \$1 and event\$1 and procedure \$2 and initiat\$4 and occurrence \$1 and authori \$9).clm.	US-PGPUB	OR	ON	2010/02/12 18:15
L12	1	(building\$1 and defin\$3 and virtual and key \$1 and initiat\$4 and occurrence \$1 and authori \$9).clm.	US-PGPUB	OR	ON	2010/02/12 18:15
L13	5	(building\$1 and defin\$3 and virtual and key \$1 and authori \$9).clm.	US-PGPUB	OR	ON	2010/02/12 18:15

L14	7	(building\$1 and event\$1 and access\$1 and control\$3 and virtual and key \$1 and authori \$9).clm.	US-PGPUB	OR	ON	2010/02/12 18:15
L15	13	SCHUSTER near3 KILIAN	USPAT; IBM_TDB	OR	ON	2010/02/12 18:15
L16	29	FRIEDLI near3 PAUL	USPAT; IBM_TDB	OR	ON	2010/02/12 18:15
L17	0	(L15 L16) and (virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key \$1))	USPAT; IBM_TDB	OR	ON	2010/02/12 18:15
L18	12	(L15 L16) and (key\$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 18:15
L19	25	(L15 L16) and (building\$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 18:15
L20	10	L18 and L19	USPAT; IBM_TDB	OR	ON	2010/02/12 18:15
L21	7242	(initiat\$4 start \$4 begin\$4) near4 (service \$1 emergency invitation\$1 invit \$3 cleaning monitor\$3 request\$3) near4 (event\$1 call\$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 18:15
L22	24627	(access\$3 enter \$3 initiat\$4 arriv \$4 author\$9 polic\$3 rule\$1) near6 (building \$1 office\$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 18:15
L23	830	L21 and L22	USPAT; IBM_TDB	OR	OFF	2010/02/12 18:15
L24	3	L23 and (virtual near3 key\$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 18:15

L25	2181	(access\$3 enter \$3 arriv\$4) near5 (verif\$9 permit\$4 allow \$5 certif\$9 author\$9) near6 (building\$1 office\$1 elevator \$1 apartment \$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 18:15
L26	7	L25 and (virtual near3 key\$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 18:15
L27	36	L25 and (virtual near3 (password \$1 number\$1 code\$1 pin id key\$1))	USPAT; IBM_TDB	OR	OFF	2010/02/12 18:15
L28	108996	(determin\$6 identif\$8 detect \$4 occurrence \$1) near5 (event \$1 fire attack\$3 emergency urgent\$2)	USPAT; IBM_TDB	OR	OFF	2010/02/12 18:15
L29	478	(generat\$4 creat \$4) near5 (virtual\$1 near3 (code\$1 password\$1 pin key\$1))	USPAT; IBM_TDB	OR	OFF	2010/02/12 18:15
L30	71	L28 and L29	USPAT; IBM_TDB	OR	OFF	2010/02/12 18:15
L31	3	(initiat\$3 and event\$1 and procedure\$1 and virtual and key and building \$1).clm.	US-PGPUB	OR	OFF	2010/02/12 18:15

L32	30549	((380/227-228) or (380/239) or (380/255) or (380/43) or (380/277-279) or (380/281) or (380/284) or (380/286) or (713/150) or (713/153) or (713/156) or (713/157) or (713/158) or (713/159) or (713/171) or (713/172) or (713/173) or (713/174) or (713/175) or (713/176) or (713/179) or (713/182) or (713/183) or (713/184) or (713/185) or (713/186) or (709/201) or (709/217) or (709/219) or (709/223) or (709/224) or (709/225) or (726/1-7) or (726/9) or (726/10) or (725/15) or (726/17) or (726/18) or (726/19) or (726/27) or (726/28) or (726/29) or (726/30) or (705/78) or (705/71)).OCLS.	USPAT; IBM_TDB	OR	OFF	2010/02/12 18:15
-----	-------	---	-------------------	----	-----	---------------------

L33	7336	(transmit\$3 reciev\$3 obtain \$3 deliver\$3 send\$3 sent) near6 (password \$1 (virtual near3 (code\$1 number serial pin key\$1)))	USPAT; IBM_TDB	OR	ON	2010/02/12 18:15
L34	2303	L32 and L33	USPAT; IBM_TDB	OR	ON	2010/02/12 18:15
L35	21993	(initia\$5 procedure\$1 event\$1) near5 (building\$2 school\$2 office \$1 elevator\$1 door\$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 18:15
L36	47	L34 and L35	USPAT; IBM_TDB	OR	ON	2010/02/12 18:15
L37	3301	L33 near6 (person\$1 user \$1 human\$1 firem\$2 police \$3 doctor\$1 janitor\$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 18:15
L38	96959	((initia\$5 near3 (procedure\$1 event\$1)) enter \$3 access\$8 open\$1) near5 (building\$2 school\$2 office \$1 elevator\$1 door\$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 18:15
L39	352	L37 and L38	USPAT; IBM_TDB	OR	ON	2010/02/12 18:15
L40	234	L39 and ((secur \$6 protect\$3) near5 (procedure\$1 event\$1 plan\$1 access\$9))	USPAT; IBM_TDB	OR	ON	2010/02/12 18:15
L41	141	L40 and ((secur \$6 protect\$3) near5 (requir \$8))	USPAT; IBM_TDB	OR	ON	2010/02/12 18:15

L42	83474	(authori\$8 certif \$8 verif\$8 secur \$8) near5 (person\$1 user \$1 human\$1 firem\$2 police \$3 doctor\$1 janitor\$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 18:15
L43	5087	L42 near5 (defin \$3 list\$3 table \$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 18:15
L44	50	L41 and L43	USPAT; IBM_TDB	OR	ON	2010/02/12 18:15
L45	64	(transmit\$3 reciev\$3 deliver \$3 send\$3 sent) near6 (virtual near3 key\$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 18:24
L46	7	45 near5 (person\$1 user \$1 human\$1 firem\$2 police \$3 doctor\$1 janitor\$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 18:25
L47	0	45 with (building \$1 elevator\$1 door\$1 office)	USPAT; IBM_TDB	OR	ON	2010/02/12 18:49
L48	36341	(transmit\$3 reciev\$3 deliver \$3 send\$3 sent) near6 (key password\$1 (virtual near3 key\$1))	USPAT; IBM_TDB	OR	ON	2010/02/12 18:49
L49	748	48 with (building \$1 elevator\$1 door\$1 office)	USPAT; IBM_TDB	OR	ON	2010/02/12 18:50
L50	141	49 with (person \$1 user\$1 human\$1 firem \$2 police\$3 doctor\$1 janitor \$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 18:50
L51	47	50 with (access \$3 enter\$3 authori\$8 verif \$8 certif\$8)	USPAT; IBM_TDB	OR	ON	2010/02/12 18:50



S20	10903	((380/227-228) or (380/278-279) or (380/284) or (380/286) or (713/171) or (713/182) or (726/1-7) or (726/17-19) or (726/27-30) or (709/224) or (705/78) or (705/71)).CCLS.	USPAT; IBM_TDB	OR	OFF	2009/03/04 13:38
S21	60	S20 and (virtual near3 key\$1)	USPAT; IBM_TDB	OR	ON	2009/03/04 13:38
S22	237	S20 and (virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key \$1))	USPAT; IBM_TDB	OR	ON	2009/03/04 13:38
S23	36330	(person\$4 client \$1 user\$1 arriv \$3) near5 (proximity vicinity building \$1 office\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/04 13:38
S24	39	S22 and S23	USPAT; IBM_TDB	OR	OFF	2009/03/04 13:38
S25	69170	(verif\$9 valid\$7 compar\$5 authori\$9 verif \$9) near4 ((virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key \$1)) person\$3 user\$1 client\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/04 13:38
S26	32	S24 and S25	USPAT; IBM_TDB	OR	OFF	2009/03/04 13:38

S27	930	(person\$4 client \$1 user\$1) near4 (enter\$3 arriv\$3 proximity vicinity) near5 (building\$1 office\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/04 13:38
S28	20	S27 and (virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key \$1))	USPAT; IBM_TDB	OR	ON	2009/03/04 13:38
S29	2	(building\$1 and defin\$3 and virtual and key \$1 and (event \$1 procedure \$2) and authori \$9).clm.	US-PGPUB	OR	ON	2009/03/04 13:38
S30	1	(building\$1 and defin\$3 and virtual and key \$1 and event\$1 and procedure \$2 and initiat\$4 and occurrence \$1 and authori \$9).clm.	US-PGPUB	OR	ON	2009/03/04 13:38
S31	1	(building\$1 and defin\$3 and virtual and key \$1 and initiat\$4 and occurrence \$1 and authori \$9).clm.	US-PGPUB	OR	ON	2009/03/04 13:38
S32	5	(building\$1 and defin\$3 and virtual and key \$1 and authori \$9).clm.	US-PGPUB	OR	ON	2009/03/04 13:38
S33	7	(building\$1 and event\$1 and access\$1 and control\$3 and virtual and key \$1 and authori \$9).clm.	US-PGPUB	OR	ON	2009/03/04 13:38

S34	13	SCHUSTER near3 KILIAN	USPAT; IBM_TDB	OR	ON	2009/03/04 13:38
S35	28	FRIEDLI near3 PAUL	USPAT; IBM_TDB	OR	ON	2009/03/04 13:38
S36	0	(S34 S35) and (virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key \$1))	USPAT; IBM_TDB	OR	ON	2009/03/04 13:38
S37	12	(S34 S35) and (key\$1)	USPAT; IBM_TDB	OR	ON	2009/03/04 13:38
S38	24	(S34 S35) and (building\$1)	USPAT; IBM_TDB	OR	ON	2009/03/04 13:38
S39	10	S37 and S38	USPAT; IBM_TDB	OR	ON	2009/03/04 13:38
S40	6617	(initiat\$4 start \$4 begin\$4) near4 (service \$1 emergency invitation\$1 invit \$3 cleaning monitor\$3 request\$3) near4 (event\$1 call\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/04 13:38
S41	22316	(access\$3 enter \$3 initiat\$4 arriv \$4 author\$9 polic\$3 rule\$1) near6 (building \$1 office\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/04 13:38
S42	778	S40 and S41	USPAT; IBM_TDB	OR	OFF	2009/03/04 13:38
S43	3	S42 and (virtual near3 key\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/04 13:38
S44	2056	(access\$3 enter \$3 arriv\$4) near5 (verif\$9 permit\$4 allow \$5 certif\$9 author\$9) near6 (building\$1 office\$1 elevator \$1 apartment \$1)	USPAT; IBM_TDB	OR	OFF	2009/03/04 13:38

S45	2	S44 and (virtual near3 key\$1)	USPAT; IBM_TDB	OR	OFF	2009/03/04 13:38
S46	30	S44 and (virtual near3 (password\$1 number\$1 code\$1 pin id key\$1))	USPAT; IBM_TDB	OR	OFF	2009/03/04 13:38
S109	99938	(determin\$6 identif\$8 detect \$4 occurrence \$1) near5 (event \$1 fire attack\$3 emergency urgent\$2)	USPAT; IBM_TDB	OR	OFF	2009/03/04 13:39
S112	433	(generat\$4 creat \$4) near5 (virtual\$1 near3 (code\$1 password\$1 pin key\$1))	USPAT; IBM_TDB	OR	OFF	2009/03/04 13:39
S114	65	S109 and S112	USPAT; IBM_TDB	OR	OFF	2009/03/04 13:39
S115	3	(initiat\$3 and event\$1 and procedure\$1 and virtual and key and building \$1).clm.	US-PGPUB	OR	OFF	2009/03/04 13:39
S116	12133	((380/227-228) or (380/278-279) or (380/284) or (380/286) or (713/171) or (713/182) or (726/1-7) or (726/17-19) or (726/27-30) or (709/224) or (705/78) or (705/71)).CCLS.	USPAT; IBM_TDB	OR	OFF	2009/09/13 14:34
S117	68	S116 and (virtual near3 key\$1)	USPAT; IBM_TDB	OR	ON	2009/09/13 14:34

S118	264	S116 and (virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key \$1))	USPAT; IBM_TDB	OR	ON	2009/09/13 14:34
S119	38086	(person\$4 client \$1 user\$1 arriv \$3) near5 (proximity vicinity building \$1 office\$1)	USPAT; IBM_TDB	OR	OFF	2009/09/13 14:34
S120	44	S118 and S119	USPAT; IBM_TDB	OR	OFF	2009/09/13 14:34
S121	73553	((verif\$9 valid\$7 compar\$5 authori\$9 verif \$9) near4 ((virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key \$1)) person\$3 user\$1 client\$1)	USPAT; IBM_TDB	OR	OFF	2009/09/13 14:34
S122	33	S120 and S121	USPAT; IBM_TDB	OR	OFF	2009/09/13 14:34
S123	985	(person\$4 client \$1 user\$1) near4 (enter\$3 arriv\$3 proximity vicinity) near5 (building\$1 office\$1)	USPAT; IBM_TDB	OR	OFF	2009/09/13 14:34
S124	23	S123 and (virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key \$1))	USPAT; IBM_TDB	OR	ON	2009/09/13 14:34

S125	2	(building\$1 and defin\$3 and virtual and key \$1 and (event \$1 procedure \$2) and authori \$9).clm.	US-PGPUB	OR	ON	2009/09/13 14:34
S126	1	(building\$1 and defin\$3 and virtual and key \$1 and event\$1 and procedure \$2 and initiat\$4 and occurrence \$1 and authori \$9).clm.	US-PGPUB	OR	ON	2009/09/13 14:34
S127	1	(building\$1 and defin\$3 and virtual and key \$1 and initiat\$4 and occurrence \$1 and authori \$9).clm.	US-PGPUB	OR	ON	2009/09/13 14:34
S128	5	(building\$1 and defin\$3 and virtual and key \$1 and authori \$9).clm.	US-PGPUB	OR	ON	2009/09/13 14:34
S129	7	(building\$1 and event\$1 and access\$1 and control\$3 and virtual and key \$1 and authori \$9).clm.	US-PGPUB	OR	ON	2009/09/13 14:34
S130	13	SCHUSTER near3 KILIAN	USPAT; IBM_TDB	OR	ON	2009/09/13 14:34
S131	28	FRIEDLI near3 PAUL	USPAT; IBM_TDB	OR	ON	2009/09/13 14:34
S132	0	(S130 S131) and (virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key \$1))	USPAT; IBM_TDB	OR	ON	2009/09/13 14:34
S133	12	(S130 S131) and (key\$1)	USPAT; IBM_TDB	OR	ON	2009/09/13 14:34

S134	24	(S130 S131) and (building \$1)	USPAT; IBM_TDB	OR	ON	2009/09/13 14:34
S135	10	S133 and S134	USPAT; IBM_TDB	OR	ON	2009/09/13 14:34
S136	6962	((initiat\$4 start \$4 begin\$4) near4 (service \$1 emergency invitation\$1 invit \$3 cleaning monitor\$3 request\$3) near4 (event\$1 call\$1)	USPAT; IBM_TDB	OR	OFF	2009/09/13 14:34
S137	23557	((access\$3 enter \$3 initiat\$4 arriv \$4 author\$9 polic\$3 rule\$1) near6 (building \$1 office\$1)	USPAT; IBM_TDB	OR	OFF	2009/09/13 14:34
S138	802	S136 and S137	USPAT; IBM_TDB	OR	OFF	2009/09/13 14:34
S139	3	S138 and (virtual near3 key\$1)	USPAT; IBM_TDB	OR	OFF	2009/09/13 14:34
S140	2137	((access\$3 enter \$3 arriv\$4) near5 (verif\$9 permit\$4 allow \$5 certif\$9 author\$9) near6 (building\$1 office\$1 elevator \$1 apartment \$1)	USPAT; IBM_TDB	OR	OFF	2009/09/13 14:34
S141	5	S140 and (virtual near3 key\$1)	USPAT; IBM_TDB	OR	OFF	2009/09/13 14:34
S142	34	S140 and (virtual near3 (password\$1 number\$1 code \$1 pin id key \$1))	USPAT; IBM_TDB	OR	OFF	2009/09/13 14:34

S143	104831	(determin\$6 identif\$8 detect \$4 occurrence \$1) near5 (event \$1 fire attack\$3 emergency urgent\$2)	USPAT; IBM_TDB	OR	OFF	2009/09/13 14:34
S144	460	(generat\$4 creat \$4) near5 (virtual\$1 near3 (code\$1 password\$1 pin key\$1))	USPAT; IBM_TDB	OR	OFF	2009/09/13 14:34
S145	70	S143 and S144	USPAT; IBM_TDB	OR	OFF	2009/09/13 14:34
S146	3	(initiat\$3 and event\$1 and procedure\$1 and virtual and key and building \$1).clm.	US-PGPUB	OR	OFF	2009/09/13 14:34
S147	13232	((380/227-228) or (380/278- 279) or (380/284) or (380/286) or (713/171) or (713/182) or (726/1-7) or (726/17-19) or (726/27-30) or (709/224) or (705/78) or (705/71)).CCLS.	USPAT; IBM_TDB	OR	OFF	2010/02/12 15:21
S148	73	S147 and (virtual near3 key\$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 15:21
S149	284	S147 and (virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key \$1))	USPAT; IBM_TDB	OR	ON	2010/02/12 15:21



S150	39624	(person\$4 client\$1 user\$1 arriv\$3) near5 (proximity vicinity building\$1 office\$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 15:21
S151	44	S149 and S150	USPAT; IBM_TDB	OR	OFF	2010/02/12 15:21
S152	77464	(verif\$9 valid\$7 compar\$5 authori\$9 verif\$9) near4 ((virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key\$1)) person\$3 user\$1 client\$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 15:21
S153	33	S151 and S152	USPAT; IBM_TDB	OR	OFF	2010/02/12 15:21
S154	1044	(person\$4 client\$1 user\$1) near4 (enter\$3 arriv\$3 proximity vicinity) near5 (building\$1 office\$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 15:21
S155	23	S154 and (virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key\$1))	USPAT; IBM_TDB	OR	ON	2010/02/12 15:21
S156	2	(building\$1 and defin\$3 and virtual and key\$1 and (event\$1 procedure\$2) and authori\$9).clm.	US-PGPUB	OR	ON	2010/02/12 15:21

S157	1	(building\$1 and defin\$3 and virtual and key \$1 and event\$1 and procedure \$2 and initiat\$4 and occurrence \$1 and authori \$9).clm.	US-PGPUB	OR	ON	2010/02/12 15:21
S158	1	(building\$1 and defin\$3 and virtual and key \$1 and initiat\$4 and occurrence \$1 and authori \$9).clm.	US-PGPUB	OR	ON	2010/02/12 15:21
S159	5	(building\$1 and defin\$3 and virtual and key \$1 and authori \$9).clm.	US-PGPUB	OR	ON	2010/02/12 15:21
S160	7	(building\$1 and event\$1 and access\$1 and control\$3 and virtual and key \$1 and authori \$9).clm.	US-PGPUB	OR	ON	2010/02/12 15:21
S161	13	SCHUSTER near3 KILIAN	USPAT; IBM_TDB	OR	ON	2010/02/12 15:21
S162	29	FRIEDLI near3 PAUL	USPAT; IBM_TDB	OR	ON	2010/02/12 15:21
S163	0	(S161 S162) and (virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key \$1))	USPAT; IBM_TDB	OR	ON	2010/02/12 15:21
S164	12	(S161 S162) and (key\$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 15:21
S165	25	(S161 S162) and (building \$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 15:21
S166	10	S164 and S165	USPAT; IBM_TDB	OR	ON	2010/02/12 15:21

S167	7242	(initiat\$4 start \$4 begin\$4) near4 (service \$1 emergency invitation\$1 invit \$3 cleaning monitor\$3 request\$3) near4 (event\$1 call\$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 15:21
S168	24627	(access\$3 enter \$3 initiat\$4 arriv \$4 author\$9 polic\$3 rule\$1) near6 (building \$1 office\$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 15:21
S169	830	S167 and S168	USPAT; IBM_TDB	OR	OFF	2010/02/12 15:21
S170	3	S169 and (virtual near3 key\$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 15:21
S171	2181	(access\$3 enter \$3 arriv\$4) near5 (verif\$9 permit\$4 allow \$5 certif\$9 author\$9) near6 (building\$1 office\$1 elevator \$1 apartment \$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 15:21
S172	7	S171 and (virtual near3 key\$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 15:21
S173	36	S171 and (virtual near3 (password\$1 number\$1 code \$1 pin id key \$1))	USPAT; IBM_TDB	OR	OFF	2010/02/12 15:21
S174	108996	(determin\$6 identif\$8 detect \$4 occurrence \$1) near5 (event \$1 fire attack\$3 emergency urgent\$2)	USPAT; IBM_TDB	OR	OFF	2010/02/12 15:21

S175	478	(generat\$4 creat\$4) near5 (virtual\$1 near3 (code\$1 password\$1 pin key\$1))	USPAT; IBM_TDB	OR	OFF	2010/02/12 15:21
S176	71	S174 and S175	USPAT; IBM_TDB	OR	OFF	2010/02/12 15:21
S177	3	(initiat\$3 and event\$1 and procedure\$1 and virtual and key and building \$1).clm.	US-PGPUB	OR	OFF	2010/02/12 15:21
S178	30549	((380/227-228) or (380/239) or (380/255) or (380/43) or (380/277-279) or (380/281) or (380/284) or (380/286) or (713/150) or (713/153) or (713/156) or (713/157) or (713/158) or (713/159) or (713/171) or (713/172) or (713/173) or (713/174) or (713/175) or (713/176) or (713/179) or (713/182) or (713/183) or (713/184) or (713/185) or (713/186) or (709/201) or (709/217) or (709/219) or (709/223) or (709/224) or (709/225) or (726/1-7) or (726/9) or (726/10) or (725/15) or (726/17) or	USPAT; IBM_TDB	OR	OFF	2010/02/12 15:40

		(726/18) or (726/19) or (726/27) or (726/28) or (726/29) or (726/30) or (705/78) or (705/71)).OCLS.				
S179	7336	(transmit\$3 reciev\$3 obtain \$3 deliver\$3 send\$3 sent) near6 (password \$1 (virtual near3 (code\$1 number serial pin key\$1)))	USPAT; IBM_TDB	OR	ON	2010/02/12 15:42
S180	2303	S178 and S179	USPAT; IBM_TDB	OR	ON	2010/02/12 15:43
S181	21993	((initia\$5 procedure\$1 event\$1) near5 (building\$2 school\$2 office \$1 elevator\$1 door\$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 15:44
S182	47	S180 and S181	USPAT; IBM_TDB	OR	ON	2010/02/12 15:45
S183	3301	S179 near6 (person\$1 user \$1 human\$1 firem\$2 police \$3 doctor\$1 janitor\$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 15:46
S184	96959	((initia\$5 near3 (procedure\$1 event\$1)) enter \$3 access\$8 open\$1) near5 (building\$2 school\$2 office \$1 elevator\$1 door\$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 15:47
S185	352	S183 and S184	USPAT; IBM_TDB	OR	ON	2010/02/12 15:48

S186	234	S185 and ((secur\$6 protect\$3) near5 (procedure\$1 event\$1 plan\$1 access\$9))	USPAT; IBM_TDB	OR	ON	2010/02/12 15:49
S187	141	S186 and ((secur\$6 protect\$3) near5 (requir \$8))	USPAT; IBM_TDB	OR	ON	2010/02/12 15:50
S188	83474	(authori\$8 certif \$8 verif\$8 secur \$8) near5 (person\$1 user \$1 human\$1 firem\$2 police \$3 doctor\$1 janitor\$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 15:51
S189	5087	S188 near5 (defin\$3 list\$3 table\$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 15:51
S190	50	S187 and S189	USPAT; IBM_TDB	OR	ON	2010/02/12 15:51
S191	13232	((380/227-228) or (380/278- 279) or (380/284) or (380/286) or (713/171) or (713/182) or (726/1-7) or (726/17-19) or (726/27-30) or (709/224) or (705/78) or (705/71)).CCLS.	USPAT; IBM_TDB	OR	OFF	2010/02/12 16:19
S192	73	S191 and (virtual near3 key\$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 16:19
S193	284	S191 and (virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key \$1))	USPAT; IBM_TDB	OR	ON	2010/02/12 16:19

S194	39624	(person\$4 client \$1 user\$1 arriv \$3) near5 (proximity vicinity building \$1 office\$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 16:19
S195	44	S193 and S194	USPAT; IBM_TDB	OR	OFF	2010/02/12 16:19
S196	77464	(verif\$9 valid\$7 compar\$5 authori\$9 verif \$9) near4 ((virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key \$1)) person\$3 user\$1 client\$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 16:19
S197	33	S195 and S196	USPAT; IBM_TDB	OR	OFF	2010/02/12 16:19
S198	1044	(person\$4 client \$1 user\$1) near4 (enter\$3 arriv\$3 proximity vicinity) near5 (building\$1 office\$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 16:19
S199	23	S198 and (virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key \$1))	USPAT; IBM_TDB	OR	ON	2010/02/12 16:19
S200	2	(building\$1 and defin\$3 and virtual and key \$1 and (event \$1 procedure \$2) and authori \$9).clm.	US-PGPUB	OR	ON	2010/02/12 16:19

S201	1	(building\$1 and defin\$3 and virtual and key \$1 and event\$1 and procedure \$2 and initiat\$4 and occurrence \$1 and authori \$9).clm.	US-PGPUB	OR	ON	2010/02/12 16:19
S202	1	(building\$1 and defin\$3 and virtual and key \$1 and initiat\$4 and occurrence \$1 and authori \$9).clm.	US-PGPUB	OR	ON	2010/02/12 16:19
S203	5	(building\$1 and defin\$3 and virtual and key \$1 and authori \$9).clm.	US-PGPUB	OR	ON	2010/02/12 16:19
S204	7	(building\$1 and event\$1 and access\$1 and control\$3 and virtual and key \$1 and authori \$9).clm.	US-PGPUB	OR	ON	2010/02/12 16:19
S205	13	SCHUSTER near3 KILIAN	USPAT; IBM_TDB	OR	ON	2010/02/12 16:19
S206	29	FRIEDLI near3 PAUL	USPAT; IBM_TDB	OR	ON	2010/02/12 16:19
S207	0	((S205 S206) and (virtual near3 (code\$1 password\$1 pin encrypt\$7 encipher\$9 cipher\$8 key \$1)))	USPAT; IBM_TDB	OR	ON	2010/02/12 16:19
S208	12	((S205 S206) and (key\$1))	USPAT; IBM_TDB	OR	ON	2010/02/12 16:19
S209	25	((S205 S206) and (building \$1))	USPAT; IBM_TDB	OR	ON	2010/02/12 16:19
S210	10	S208 and S209	USPAT; IBM_TDB	OR	ON	2010/02/12 16:19



S211	7242	(initiat\$4 start \$4 begin\$4) near4 (service \$1 emergency invitation\$1 invit \$3 cleaning monitor\$3 request\$3) near4 (event\$1 call\$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 16:19
S212	24627	(access\$3 enter \$3 initiat\$4 arriv \$4 author\$9 polic\$3 rule\$1) near6 (building \$1 office\$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 16:19
S213	830	S211 and S212	USPAT; IBM_TDB	OR	OFF	2010/02/12 16:19
S214	3	S213 and (virtual near3 key\$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 16:19
S215	2181	(access\$3 enter \$3 arriv\$4) near5 (verif\$9 permit\$4 allow \$5 certif\$9 author\$9) near6 (building\$1 office\$1 elevator \$1 apartment \$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 16:19
S216	7	S215 and (virtual near3 key\$1)	USPAT; IBM_TDB	OR	OFF	2010/02/12 16:19
S217	36	S215 and (virtual near3 (password\$1 number\$1 code \$1 pin id key \$1))	USPAT; IBM_TDB	OR	OFF	2010/02/12 16:19
S218	108996	(determin\$6 identif\$8 detect \$4 occurrence \$1) near5 (event \$1 fire attack\$3 emergency urgent\$2)	USPAT; IBM_TDB	OR	OFF	2010/02/12 16:19

S219	478	(generat\$4 creat\$4) near5 (virtual\$1 near3 (code\$1 password\$1 pin key\$1))	USPAT; IBM_TDB	OR	OFF	2010/02/12 16:19
S220	71	S218 and S219	USPAT; IBM_TDB	OR	OFF	2010/02/12 16:19
S221	3	(initiat\$3 and event\$1 and procedure\$1 and virtual and key and building \$1).clm.	US-PGPUB	OR	OFF	2010/02/12 16:19
S222	30549	((380/227-228) or (380/239) or (380/255) or (380/43) or (380/277-279) or (380/281) or (380/284) or (380/286) or (713/150) or (713/153) or (713/156) or (713/157) or (713/158) or (713/159) or (713/171) or (713/172) or (713/173) or (713/174) or (713/175) or (713/176) or (713/179) or (713/182) or (713/183) or (713/184) or (713/185) or (713/186) or (709/201) or (709/217) or (709/219) or (709/223) or (709/224) or (709/225) or (726/1-7) or (726/9) or (726/10) or (725/15) or (726/17) or	USPAT; IBM_TDB	OR	OFF	2010/02/12 16:19

		(726/18) or (726/19) or (726/27) or (726/28) or (726/29) or (726/30) or (705/78) or (705/71)).OCLS.				
S223	7336	(transmit\$3 reciev\$3 obtain \$3 deliver\$3 send\$3 sent) near6 (password \$1 (virtual near3 (code\$1 number serial pin key\$1)))	USPAT; IBM_TDB	OR	ON	2010/02/12 16:19
S224	2303	S222 and S223	USPAT; IBM_TDB	OR	ON	2010/02/12 16:19
S225	21993	((initia\$5 procedure\$1 event\$1) near5 (building\$2 school\$2 office \$1 elevator\$1 door\$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 16:19
S226	47	S224 and S225	USPAT; IBM_TDB	OR	ON	2010/02/12 16:19
S227	3301	S223 near6 (person\$1 user \$1 human\$1 firem\$2 police \$3 doctor\$1 janitor\$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 16:19
S228	96959	((initia\$5 near3 (procedure\$1 event\$1)) enter \$3 access\$8 open\$1) near5 (building\$2 school\$2 office \$1 elevator\$1 door\$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 16:19
S229	352	S227 and S228	USPAT; IBM_TDB	OR	ON	2010/02/12 16:19

S230	234	S229 and ((secur\$6 protect\$3) near5 (procedure\$1 event\$1 plan\$1 access\$9))	USPAT; IBM_TDB	OR	ON	2010/02/12 16:19
S231	141	S230 and ((secur\$6 protect\$3) near5 (requir \$8))	USPAT; IBM_TDB	OR	ON	2010/02/12 16:19
S232	83474	(authori\$8 certif \$8 verif\$8 secur \$8) near5 (person\$1 user \$1 human\$1 firem\$2 police \$3 doctor\$1 janitor\$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 16:19
S233	5087	S232 near5 (defin\$3 list\$3 table\$1)	USPAT; IBM_TDB	OR	ON	2010/02/12 16:19
S234	50	S231 and S233	USPAT; IBM_TDB	OR	ON	2010/02/12 16:19

**EAST Search History (I nterference)**

&lt;This search history is empty&gt;

**2/ 12/ 10 6:56:44 PM****C:\ Documents and Settings\ LHa\ My Documents\ EAST\ Workspaces\ 09855000.wsp**